

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS ✓
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG 1




FIG 2









FIG 3



Fingerprint-operated Lock Box: External View



Fingerprint-operated Lock Box: Internal View



Suprema SFM1000-FT CPU module, note sensor portion is mounted on top of box lid under Bezel

Interface module, converts 12v to 3.3v for SFM1000-FT. Interfaces LEDs, Switches, and Lock to SFM1000-FT

Battery holder has been revised, see next page

Trimec EL100 Lock will mount here

FIG 7

Fingerprint-operated Lock Box: Brackets and Battery Holder

22 Gauge metal brackets covering PCB boards,
 power connector, and batteries




FIG 10

Eight AA batteries and Holder




FIG 11

Fingerprint-operated Lock Box:

Block Diagram




FIG. 12

Fingerprint-operated Lock Box:

User Interface




FIG. 13